

Day : Friday
Date: 8/13/2004
Time: 14:02:54

PALM INTRANET

Inventor Information for 10/822946

Inventor Name	City	State/Country
BESMANN, THEODORE M.	OAK RIDGE	TENNESSEE
KLETT, JAMES W.	KNOXVILLE	TENNESSEE

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)[Inventors](#)Search Another: Application# or Patent# PCT / / or PG PUBS # Attorney Docket # Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	IS&R	L1	804	(219/634,730).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/08/13 10:18
2	IS&R	L2	3353	(428/304.4,71,334).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/08/13 10:19
3	IS&R	L3	1662	(427/249.15,249.19,189,452,253).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/08/13 10:19
4	IS&R	L4	981	(423/455R,448,402).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/08/13 10:19
5	IS&R	L5	3606	(264/42,43,29.6,29.7,101,102).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/08/13 10:20
6	IS&R	L6	3202	(156/78,245,345.1).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/08/13 10:21

	Type	L #	Hits	Search Text	DBs	Time Stamp
7	IS&R	L7	1332	(438/409,690,758).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/08/13 10:21
8	BRS	L8	14694	1 or 2 or 3 or 4 or 5 or 6 or 7	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/08/13 10:25
9	BRS	L9	55	(carbon with foam) and (pitch-derived or (pitch near derived))	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/08/13 11:32
10	BRS	L10	1232	(substrate with coat\$3) with ((silicon near carbide) or (carbide with (Ge or Sn or Pb or germanium or Tin or lead)))	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/08/13 11:33
11	BRS	L11	2	substrate with (carbon with foam) with (pitch-derived or (pitch near derived))	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/08/13 11:22
12	BRS	L12	2	10 and 11	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/08/13 11:23

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	BRS	L13	2	9 and 10	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/08/13 11:23
14	BRS	L14	0	13 not 12	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/08/13 11:23
15	BRS	L15	3	(substrate with (carbon with foam)) and (pitch-derived or (pitch near derived))	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/08/13 11:24
16	BRS	L16	10965	(carbon with foam)	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/08/13 11:32
17	BRS	L17	6	16 and (substrate with coat\$3) with ((silicon near carbide) or (carbide with (Ge or Sn or Pb or germanium or Tin or lead)))	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/08/13 11:57
18	BRS	L18	140	carbon with substrate with pitch	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/08/13 11:57

	Type	L #	Hits	Search Text	DBs	Time Stamp
19	BRS	L19	15	18 and (substrate with coat\$3) with ((silicon near carbide) or (carbide with (Ge or Sn or Pb or germanium or Tin or lead)))	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/08/13 13:12
20	BRS	L20	12	18 and (layer with coat\$3) with ((silicon near carbide) or (carbide with (Ge or Sn or Pb or germanium or Tin or lead)))	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/08/13 13:13
21	IS&R	L21	1121	(210/491,500.23,500.25,500.26).CCLS.	USPAT	2004/08/13 13:12
22	BRS	L22	2	21 and (substrate with coat\$3) with ((silicon near carbide) or (carbide with (Ge or Sn or Pb or germanium or Tin or lead)))	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/08/13 13:13
23	BRS	L23	6	21 and (layer with coat\$3) with ((silicon near carbide) or (carbide with (Ge or Sn or Pb or germanium or Tin or lead)))	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/08/13 13:13
24	BRS	L24	6	22 or 23	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/08/13 13:13
25	BRS	L25	0	24 not 21	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/08/13 13:13